

AgBio BMSB Tests, 2011

DE, MD, NJ, PA, VA

Observations

Lessons

Improvements



Trap Placement



Dead-Inn Yellow Trap on Ground



Dead-Inn Yellow Trap on Ground



Elevation Greatly Improves Attraction



Dead-Inn Yellow Trap Elevated
Several Fold Increase in Trap Counts



Dead-Inn 2' Green Trap

Venting Collection Jar




Kill Strip Greatly Improves Catch



Lure Improvements




Exp A
Yellow 17" AgBio traps baited with Formula 1 or
Standard lure at residential location
Sept. 13-30, 2011




One Trap, each treatment on ground

**Exp B.
Two foot Green traps in office location baited with Formula
1 or Standard Lure
Sept. 8-13, 2011**




One Trap Each Treatment on Ground

Exp C
Four foot Green Traps in Soybeans baited with
Formula 1 or Standard Lure
Sept 9-12, 2011




3 traps each treatment, kill strip

Exp D
Four Foot AgBio traps in Soybeans baited with
Formula 1 or Standard lure
Sept 12-28, 2011




3 traps per treatment, counts weekly
after 1st count on 9/13, kill strip


Exp E
Four Foot traps in soybean baited with
Formula 1 or Standard lure
Sept 28-Oct 5, 2011



5 traps/treatment, kill strip




Exp F
Four Foot traps in soybean baited with
Formula 1 or Standard Lure in soybeans
Oct 5 -18, 2011



5 traps/treatment, counts every 3-7 days, kill strip

**Exp G.
Four Foot traps baited with
Formula 1, Standard Lure or Unbaited
Oct 5-18, 2011**



4 traps/treatment, counts every 3-7 days, kill strip